

## 2MP HD-TVI IR Dome Camera Motorized Starlight



### Features

- 1/2.7" Panasonic Sensor
- 2MP Starlight Camera
- Max. resolution: 1945 x 1097
- ICR auto switch, true day / night
- 3D DNR
- Supports smart analysis of valuables watching, perimeter and abnormal video signal detection
- Supports defogging, HLC, BLC, digital image stabilization and defect correction to fit different needs
- Supports CVBS
- Support smart phone, iPad, remote monitoring

### Specifications

Model	TVI-IRD2MSVFZ-G/W	
Camera	<b>Image Sensor</b>	1/2.7" Panasonic Sensor
	<b>Effective Pixels</b>	1945(H) × 1097(V) Approx. 2.13M pixels
	<b>Shutter Speed</b>	AUTO/MANUAL(1/50\60 ~ 1/60,000 sec)
	<b>Min. Illumination</b>	Color:DSS:0.00008 lux , BW: DSS:0.00008Lux
	<b>Lens</b>	2.8-12mm Motorized Lens
	<b>View Angle</b>	100°-30.8°(H), 64.5°-23.3°(V)
	<b>S/N Ratio</b>	More than 42Db(AGC off)
	<b>Video Output</b>	Analog output: HD-TVI (1080P) CVBS(960H)1Vp-p Composite Output(75 ohm /BNC)
	<b>White Balance</b>	Auto/Auto ext/Preset/Manual
	<b>AGC</b>	0-20 steps
	<b>BLC</b>	Off/BLC
	<b>DNR</b>	Off/Low/Middle/High (3D)
	Image	<b>Compatibility</b>
<b>Encode Mode</b>		CBR
<b>Image Quality</b>		Not adjustable under CBR
<b>Resolution</b>		1080P (1920×1080)
<b>Video Frame Rate</b>		PAL:25fps@1080P NTSC:30fps@1080P
	<b>Image Setting</b>	Color gain, D-Zoom, etc.
Functions	<b>Remote Monitoring</b>	By monitoring the video recorder
	<b>Day&amp;Night</b>	Auto / Color / BW / EXT
	<b>IR Distance</b>	N/A
	<b>IR LED</b>	N/A
	<b>OSD Menu</b>	Yes
	<b>Protection</b>	IP66
Others	<b>Power supply</b>	DC12V±10%
	<b>Power Consumption</b>	600mA
	<b>Working Environment</b>	- 30°C ~ +60°C
	<b>Dimension (L x W x H)</b>	4.7" x 4.7" x 3.4" (120 x 120 x 86mm)
	<b>weight</b>	1.7LBS (0.74KG)